



August 4, 2023

Sunmodo Corp
14800 NE 65th St
Vancouver, WA 98682
TEL: (360) 844-0048

Attn.: Sunmodo Corp - Engineering Department

Re: Report # 2021-02963HG.01 – Sunmodo SMR100
Subject: Engineering Certification for the State of Missouri

PZSE, Inc. – Structural Engineers has provided engineering and span tables for the Sunmodo SMR100 Rail, as presented in PZSE Report # 2021-02963HG.01, "Sunmodo SMR100 Rail, Engineering Certification for Gable and Hip Roofs". All information, data, and analysis therein are based on, and comply with, the following building codes and typical specifications:

- Building Codes:
1. ASCE/SEI 7-10 & 7-16, Minimum Design Loads for Buildings and other Structures, by American Society of Civil Engineers
 2. 2012-2021 International Building Code, by International Code Council, Inc.
 3. 2012-2021 International Residential Code, by International Code Council, Inc.
 4. AC428, Acceptance Criteria for Modular Framing Systems Used to Support Photovoltaic (PV) Panels, November 1, 2012 by ICC-ES
 5. Aluminum Design Manual 2015, by The Aluminum Association, Inc.
 6. ANSI/AWC NDS-2012, 2015, & 2018, National Design Specification for Wood Construction, by the American Wood Council

Design Criteria:


- Risk Category II
- Seismic Design Category = A - E
- Exposure Category = B, C & D
- Basic Wind Speed (ultimate) per ASCE 7-10 & 7-16 = 90 mph to 190 mph
- Ground Snow Load = 0 to 120 (psf)

This letter certifies that the loading criteria and design basis for the Sunmodo SMR100 Rail Span Tables are in compliance with the above codes.

If you have any questions on the above, do not hesitate to call.

Prepared by:
PZSE, Inc. – Structural Engineers
Roseville, CA

DIGITALLY SIGNED





June 6, 2023

SunModo Corp
14800 NE 65th St
Vancouver, WA 98682
TEL: (360) 844-0048

Attn.: Sunmodo - Engineering Department

Re: Report #2021-02963HG.01 SunModo SMR100 Rail, Engineering Certification for Gable and Hip roofs.

PZSE, Inc. - Structural Engineers have reviewed SunModo SMR100 Rail. All information, data, and analysis contained within the SunModo SMR100 Rail span tables are based on and comply with the following codes:

1. Minimum Design Loads for Buildings and Other Structures, ASCE/SEI 7-10 & ASCE/SEI 7-16
2. 2012 - 2018 International Building Codes, by the International Code Council, Inc.
3. 2012 - 2018 International Residential Code, by the International Code Council, Inc.
4. AC428, Acceptance Criteria for Modular Framing Systems Used to Support Photovoltaic (PV) Panels, November 1, 2012, by ICC-ES
5. Aluminum Design Manual 2010 & 2015, by The Aluminum Association, Inc.
6. ANSI/AWC NDS-2012 & 2015, National Design Specification for Wood Construction, by the American Wood Council

Following are typical specifications to meet the above code requirements:

Design Criteria:	Ground Snow Load = 0 - 120 (psf) Basic Wind Speed = 90 - 190 (mph) Roof Mean Height = 0 - 30 (ft) Enclosed and Partially Enclosed Gable and Hip Roof Pitch = 0° - 90° (degrees) Exposure Category = B, C & D
Rail Materials:	The SMR100 Rail Aluminum Alloys: 6005-T5, 6005A-T61, 6061-T6.
Attachment:	No attachment considered in rail span.
Clearance:	2" Minimum clear and 10" Maximum clear from the top of the roof to top of PV panel.

Cantilever:

The maximum cantilever (L_c) is permitted to be $L/3$, where L is the corresponding maximum span noted in the Span Table(s) and the minimum spacing between cantilevers (Y). Where ‘ Y ’ is at least (1) module width or module short-dimension, see Figure 1.

A maximum cantilever length of $1/3$ of the installed span is permitted in all other cases.




Figure 1: Cantilever Length

Splice:

Rails installed with (2) Roof Attachments (1 rail span)*: SMR100 Rail Splice where required shall be installed within a distance of $L/4$ from either Roof Attachment, where “ L ” is the rail span.

Rails installed with (3) or more Roof Attachments (2 or more rail spans)*: SMR100 Rail Splice where required shall not be installed within a distance of $L/8$ from any Roof Attachment, where “ L ” is the rail span.

*SMR100 Rail Splice may be installed on any portion of the span in instances where the rail is continuous over two roof attachments on both sides of the splice.

Tolerance(s):

1.0” tolerance for any specified dimension in this report is allowed for installation.

Installation Orientation:

Landscape (L) - PV Panel long dimension is parallel to the ridge/eave line of roof, and the PV panel is mounted on the long side.

Portrait (P) - PV Panel short dimension is parallel to the ridge/eave line of roof, and the PV panel is mounted on the short side.

Rail Spacing Tables assume maximum panel dimensions are: 82” x 42”

Components and Cladding Roof Zones:

Roof Zones – Enclosed and Partially Enclosed Gable Roofs, $\theta \leq 7^\circ$:

The zones shall be determined using figure 30.3-2A of ASCE 7-16 (or figure 30.4-2A of ASCE 7-10). See Figure 2.




Figure 2: Roof Edge and Corner Zones, Gable Roofs, $\theta \leq 7^\circ$

Roof Zones – Enclosed and Partially Enclosed Gable and Hip Roofs, $7^\circ < \theta \leq 90^\circ$:

The Edge Zone, “a,” shall be determined using figure 30.3-2B to figure 30.3-2D of ASCE 7-16 (or figure 30.4-2A to figure 30.4-2A of ASCE 7-10), for Gable roofs. The Edge Zone, “a,” shall be determined using figure 30.3-2E to figure 30.3-2I of ASCE 7-16 (or figure 30.4-2B – figure 30.4-2C of ASCE 7-10), for Hip roofs. Roofs from $45^\circ < \theta \leq 90^\circ$ shall use the same Edge Zone, “a” determination as roofs from $27^\circ < \theta \leq 45^\circ$.




Figure 3: Roof Zones, Gable and Hip Roofs, $7^\circ < \theta \leq 90^\circ$

Panel with Support Mounts in Multiple Roof Zones:

Edge and Corner Zone spacings (Zone 2 & 3, respectively) apply only to mounts located in those Zones, not to all the mounts supporting the module.

- Notes:
- 1) Tables are determined for Rail only and do not include roof capacity check.
 - 2) Risk Category II per ASCE 7-10 & ASCE 7-16.
 - 3) Topographic factor, k_{zt} is 1.0.
 - 4) Average parapet height is 0.0 ft.
 - 5) Wind speeds are LRFD values.
 - 6) Attachment spacing(s) apply to a seismic design category E or less.

Panel Array Edge:

Panels exposed at the array edge shall use figure 29.4-7 of ASCE 7-16 to determine “ d_1 ” and “ d_2 ” to apply “Array Edge” spans that apply to an array layout. See Figure 4.




Figure 4: Array Edge



Design Responsibility:

These tables are intended to be used under the responsible charge of a registered design professional where required by the authority having jurisdiction. In all cases, these tables should be used under the direction of a design professional with sufficient structural engineering knowledge and experience to be able to:

- Evaluate whether these tables apply to the project, and
- Understand and determine the appropriate values for all input parameters of these tables.

This letter certifies that the SunModo SMR100 Rail, when installed according to the limitations of this letter and the attached span tables, complies with the above codes and loading criteria. This certification excludes evaluation of the building structure to support the loads imposed on the building by the array; including, but not limited to strength and deflection of structural framing members, fastening and/or strength of roofing materials, and/or the effects of snow accumulation on the roof. Structures will require additional knowledge of the building and are outside the scope of the certification of this racking system.

If you have any questions on the above, do not hesitate to call.

Prepared by:
PZSE, Inc. – Structural Engineers
Roseville, CA



Table of Contents

Item	Page #
SunModo SMR100 Rail Flush-Mount System – Gable and Hip Roofs.....	
Span Tables – ASCE 7-10 Wind Design - Portrait	7
Span Tables – ASCE 7-16 Wind Design - Portrait	10
Span Tables – ASCE 7-10 Wind Design - Landscape.....	22
Span Tables – ASCE 7-16 Wind Design - Landscape.....	25

Maximum Rail Spans (Inches)				SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- Rail Only -- 82" x 42" (P)														ASCE 7-10																																	
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed -> Roof Zone ->	90 mph			95 mph			100 mph			105 mph			110 mph			115 mph			120 mph			130 mph			140 mph			150 mph			160 mph			170 mph			180 mph			190 mph								
				1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3						
30 psf	B	0 to 7	All Mounts	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	69	73	73	63	73	73	63	73	73	60	73	73	56	71	71	52	67	67	49	63	63	46			
		7 to 27	All Mounts	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	71	77	77	66	76	76	61	75	75	57	74	74	54	71	71	51	67	67	48			
		27 to 45	All Mounts	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	79	78	78	73	75	75	68	71	71	64	66	66	60	63	63	57						
		45 to 90	All Mounts	96	96	96	96	96	96	96	96	96	95	95	91	93	93	88	90	90	85	88	88	83	84	84	78	80	80	72	76	76	67	71	71	63	67	67	59	63	63	55	59	59	52						
		0 to 7	All Mounts	73	73	73	73	73	73	73	73	73	73	73	73	73	73	69	73	73	66	73	73	63	73	73	63	73	73	58	73	73	54	68	68	50	63	63	47	60	60	44	56	56	41	53	53	39			
		7 to 27	All Mounts	77	77	77	77	77	77	77	77	77	77	77	75	77	77	71	77	77	68	77	77	65	75	75	65	74	74	55	72	72	51	67	67	48	63	63	45	59	59	42	56	56	40						
	27 to 45	All Mounts	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	78	77	77	71	72	72	66	67	67	61	63	63	57	59	59	54	56	56	51	53	53	48	
	45 to 90	All Mounts	94	94	90	92	92	87	89	89	84	86	86	81	84	84	78	82	82	74	79	79	71	74	74	65	68	68	60	64	64	56	63	63	57	59	59	54	56	56	49	53	53	47	50	50	44				
	D	0 to 7	All Mounts	74	74	74	74	74	74	74	74	70	74	74	66	74	74	63	74	74	60	74	74	58	72	72	53	67	67	49	62	62	46	58	58	43	54	54	40	51	51	38	48	48	36						
		7 to 27	All Mounts	78	78	78	78	78	76	78	78	72	78	78	68	78	78	65	78	78	62	77	77	59	75	75	55	71	71	50	66	66	47	61	61	44	57	57	41	54	54	39	51	51	37						
		27 to 45	All Mounts	82	82	82	82	82	82	82	82	82	82	82	81	81	81	78	79	79	74	77	77	71	72	72	65	66	66	60	62	62	56	58	58	52	54	54	49	51	51	46	48	48	44						
		45 to 90	All Mounts	90	90	85	87	87	82	84	84	79	82	82	75	80	80	71	77	77	68	74	74	65	68	68	60	63	63	55	58	58	52	55	55	48	51	51	45	48	48	43	46	46	40						
0 to 7		All Mounts	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	69	71	71	64	71	71	64	71	71	60	71	71	56	71	71	52	67	67	49	63	63	46				
7 to 27		All Mounts	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	71	73	73	66	73	73	61	73	73	57	72	72	54	71	71	51	67	67	48				
35 psf	B	27 to 45	All Mounts	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	75	75	68	71	71	64	66	66	60	63	63	57
		45 to 90	All Mounts	94	94	94	94	94	94	94	94	94	94	94	91	93	93	88	90	90	85	88	88	83	84	84	78	80	80	72	76	76	67	71	71	63	67	67	59	63	63	55	59	59	52						
		0 to 7	All Mounts	71	71	71	71	71	71	71	71	71	71	71	71	71	71	69	71	71	66	71	71	63	71	71	58	71	71	54	68	68	50	63	63	47	60	60	44	56	56	41	53	53	39						
		7 to 27	All Mounts	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	68	73	73	65	73	73	60	72	72	55	71	71	51	67	67	48	63	63	45	59	59	42	56	56	40						
		27 to 45	All Mounts	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	76	76	71	72	72	66	67	67	61	63	63	57	59	59	54	56	56	51	53	53	48			
		45 to 90	All Mounts	94	94	90	92	92	87	89	89	84	86	86	81	84	84	78	82	82	74	79	79	71	74	74	65	68	68	60	64	64	56	63	63	57	59	59	54	56	56	49	53	53	47	50	50	44			
	D	0 to 7	All Mounts	73	73	73	73	73	73	73	73	70	73	73	66	73	73	63	73	73	60	73	73	58	72	72	53	67	67	49	62	62	46	58	58	43	54	54	40	51	51	38	48	48	36						
		7 to 27	All Mounts	76	76	76	76	76	76	76	76	72	76	76	68	76	76	65	76	76	62	75	75	59	73	73	55	71	71	50	66	66	47	61	61	44	57	57	41	54	54	39	51	51	37						
		27 to 45	All Mounts	79	79	79	79	79	79	79	79	79	79	79	79	79	79	78	78	78	74	77	77	71	72	72	65	66	66	60	62	62	56	58	58	52	54	54	49	51	51	46	48	48	44						
		45 to 90	All Mounts	90	90	85	87	87	82	84	84	79	82	82	75	80	80	71	77	77	68	74	74	65	68	68	60	63	63	55	58	58	52	55	55	48	51	51	45	48	48	43	46	46	40						
		0 to 7	All Mounts	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68			
		7 to 27	All Mounts	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70			
40 psf	B	27 to 45	All Mounts	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74						
		45 to 90	All Mounts	92	92	92	92	92	92	92	92	92	92	92	91	92	92	88	90	90	85	88	88	83	84	84	78	80	80	72	76	76	67	71	71	63	67	67	59	63	63	55	59	59	52						
		0 to 7	All Mounts	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68			
		7 to 27	All Mounts	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70			
		27 to 45	All Mounts	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74			
		45 to 90	All Mounts	92	92	90	92	92	87	89	89	84	86	86	81	84	84	78	82	82	74	79	79	71	74	74	65	68	68	60	64	64	56	63	63	57	59	59	54	56	56	51	53	53	48						
	D	0 to 7	All Mounts	71	71	71	71	71	71	71	71	70	71	71	66	71	71	63	71	71	60	71	71	58	71	71	53	67	67	49	62	62	46	58	58	43	54	54	40	51	51	38	48	48	36						
		7 to 27	All Mounts	73	73	73	73	73	73	73	73	72	73	73	68	73	73	65	73	73	62	73	73	59	72	72	55	70	70	50	66	66																			

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- Rail Only -- 82" x 42" (P)																																				ASCE 7-16																	
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->																																																					
			90 mph						95 mph						100 mph						105 mph						110 mph						115 mph						120 mph																	
Roof Zone ->			1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r						
0 psf	B	0 to 7	Array Interior	93	93	93	93	88	88	93	93	93	93	84	84	93	93	92	92	92	81	81	93	93	88	88	78	78	93	93	85	85	74	74	93	93	83	83	83	70	93	90	80	80	80	67	67									
			Array Edge	93	93	85	85	85	74	74	93	92	82	82	82	69	69	93	88	79	79	79	66	66	93	85	75	75	75	62	62	93	82	71	71	71	59	59	93	80	68	68	68	57	57	93	76	65	65	65	54	54				
		7 to 20	Array Interior	93	93	93	93	90	90	84	84	93	93	86	86	86	81	81	93	93	83	83	83	77	93	93	80	80	80	73	90	90	90	76	76	69	69	87	87	87	73	73	73	66	84	84	84	69	69	69	63	63				
			Array Edge	90	90	90	76	76	69	69	86	86	86	72	72	65	65	83	83	83	68	68	68	62	80	80	80	64	64	59	76	76	76	61	61	61	61	61	56	56	73	73	73	59	59	53	69	69	56	56	56	51	51			
		20 to 27	Array Interior	93	93	93	93	93	93	93	93	93	93	92	92	89	89	93	93	93	89	89	89	86	93	93	85	85	85	83	93	93	83	83	83	80	93	93	93	80	80	77	77	93	93	76	76	76	73	73						
			Array Edge	93	93	93	82	82	82	80	80	93	93	93	79	79	76	76	92	92	92	75	75	75	72	89	89	89	71	71	68	86	86	86	68	68	65	83	83	83	64	64	62	62	80	80	80	62	62	62	59	59				
	27 to 45	Array Interior	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95					
		Array Edge	92	92	92	92	89	89	89	89	89	89	89	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85			
	45 to 90	Array Interior	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97			
		Array Edge	97	97	97	97	97	97	97	97	97	97	97	96	96	96	96	96	97	97	93	93	93	93	93	94	94	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
	C	0 to 7	Array Interior	93	93	88	88	88	76	76	93	93	84	84	84	72	72	93	91	81	81	81	68	68	93	87	77	77	77	65	65	93	84	74	74	74	62	62	93	82	70	70	70	59	59	93	79	67	67	67	56	56				
			Array Edge	93	84	73	73	73	61	61	93	81	69	69	69	58	58	93	77	66	66	66	55	55	93	73	62	62	62	52	52	92	70	59	59	59	50	50	89	66	56	56	56	47	47	86	63	54	54	54	45	45				
		7 to 20	Array Interior	92	92	92	79	79	79	72	88	88	88	74	74	74	68	85	85	85	70	70	70	64	82	82	82	67	67	61	79	79	79	64	64	58	75	75	75	61	61	61	55	72	72	72	58	58	58	53	53					
			Array Edge	79	79	79	64	64	64	58	74	74	74	60	60	60	54	70	70	70	57	57	57	52	67	67	67	54	54	54	49	64	64	64	51	51	47	61	61	61	49	49	49	45	58	58	47	47	47	43	43					
		20 to 27	Array Interior	93	93	93	85	85	85	82	93	93	93	81	81	81	79	93	93	93	78	78	78	74	91	91	91	74	74	74	71	88	88	88	70	70	67	85	85	85	67	67	67	64	83	83	83	64	64	61	61					
			Array Edge	88	88	88	70	70	70	67	84	84	84	66	66	66	63	81	81	81	62	62	62	60	78	78	78	59	59	57	74	74	74	57	57	54	71	71	71	54	54	54	52	68	68	52	52	52	50	50						
	27 to 45	Array Interior	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95			
		Array Edge	82	82	82	82	78	69	78	78	78	78	78	74	66	74	74	74	74	74	74	62	70	70	70	66	59	66	67	67	67	63	56	63	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64		
	45 to 90	Array Interior	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	97	
		Array Edge	93	93	89	89	89	89	89	89	90	90	85	85	85	85	85	87	87	82	82	82	82	82	85	85	79	79	79	79	79	83	83	76	76	76	76	76	76	80	80	72	72	72	72	72	78	78	69	69	69	69	69	69	69	69
	D	0 to 7	Array Interior	93	92	82	82	70	70	93	88	79	79	79	66	66	93	85	74	74	74	62	62	93	82	71	71	71	59	59	93	79	67	67	67	56	56	93	75	64	64	64	54	54	93	72	61	61	61	51	51					
			Array Edge	93	79	67	67	67	56	56	93	74	63	63	63	53	53	93	70	60	60	60	50	50	89	67	57	57	57	48	48	86	64	54	54	54	46	46	84	61	52	52	52	44	44	81	58	49	49	49	42	42				
		7 to 20	Array Interior	86	86	86	72	72	72	65	83	83	83	68	68	68	62	80	80	80	64	64	64	58	76	76	76	61	61	61	72	72	72	58	58	58	69	69	69	56	56	56	50	66	66	66	53	53	53	48	48					
			Array Edge	72	72	72	58	58	58	53	68	68	68	55	55	55	50	64	64	64	52	52	52	47	61	61	61	49	49	49	58	58	58	47	47	47	43	56	56	56	45	45	45	41	53	53	43	43	43	39	39					
20 to 27		Array Interior	93	93	93	79	79	79	76	92	92	92	75	75	75	72	89	89	89	71	71	71	68	86	86	86	67	67	65	83	83	83	64	64	61	80	80	80	61	61	61	59	77	77	77	58	58	58	56	56						
		Array Edge	83	83	83	64	64	64	61	79	79	79	60	60	60	58	75	75	75	57	57	57	55	71	71	71	54	54	54	68	68	68	52	52	52	65	65	65	49	49	49	47	62	62	62	47	47	47	45	45						
27 to 45	Array Interior	89	89	89	86	86	86	86	86	86	86	86	82	74	82	82	82	82	82	79	79	79	80	80	80	80	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75			
	Array Edge	76	76	76	76	71	64	71	71	71	71	67	60	67	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	
45 to 90	Array Interior	89	89	84	84	84	84	84	84	86	86	80	80	80	80	83	83	77	77	77	77	77	81	81	83	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73		
	Array Edge	89	89	84	84	84	84	84	84	86	86	80	80	80	80	83	83	77	77	77	77	77	81	81	83	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73
5 psf	B	0 to 7	Array Interior	90	90	85	85	85	74	74	90	90	82	82	82	69	90	88	79	79	79	66	90	88	79	79	79	66	90	85	75	75	75	62	62	90	82	71	71	71	59	59	90	80	68	68	68	57	57							
			Array Edge	90	90	85	85	85	74	74	90	82	82	82	82	69	90	88	79	79	79	66	90	88	79	79	79	66	90																											

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- Rail Only -- 82" x 42" (P)																																				ASCE 7-16																	
Ground Snow Load	Exposure Category	Panel Angle	Roof Zone ->																																																					
			130 mph						140 mph						150 mph						160 mph						170 mph						180 mph						190 mph																	
		Wind Speed ->	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r						
30 psf	B	0 to 7	Array Interior	73	73	73	73	62	62	73	73	68	68	68	57	57	73	73	63	63	63	53	53	73	69	59	59	59	50	50	73	65	55	55	55	47	47	73	61	52	52	52	44	44	73	58	49	49	49	41	41					
			Array Edge	73	70	59	59	50	50	73	64	55	55	55	46	46	73	60	51	51	51	43	43	73	66	48	48	48	40	40	73	52	45	45	45	38	38	69	49	42	42	42	36	36	65	47	40	40	40	34	34					
		7 to 20	Array Interior	75	75	75	64	64	64	58	73	73	73	59	59	54	54	68	68	68	55	55	55	50	50	63	63	63	51	51	51	47	47	59	59	59	48	48	48	44	44	56	56	56	45	45	45	41	41	53	53	43	43	43	35	35
			Array Edge	64	64	64	51	51	51	47	59	59	59	48	48	48	43	43	55	55	55	44	44	44	40	40	51	51	41	41	41	38	48	48	48	39	39	35	45	45	45	37	37	33	43	43	43	35	35	35	32	32				
		20 to 27	Array Interior	77	77	77	70	70	70	67	77	77	77	65	65	65	62	77	77	77	60	60	60	58	74	74	74	56	56	56	54	69	69	69	53	53	53	51	65	65	65	50	50	50	48	61	61	61	47	47	47	45	45			
			Array Edge	74	74	74	57	57	57	54	69	69	69	52	52	52	50	64	64	64	49	49	49	47	59	59	59	46	46	46	44	56	56	56	43	43	43	41	53	53	53	40	40	40	39	50	50	50	38	38	38	37	37			
	27 to 45	Array Interior	80	80	80	80	78	78	77	77	77	72	72	72	71	71	71	71	67	67	67	60	67	67	67	63	63	63	62	62	62	62	59	59	59	53	59	59	59	56	56	56	56	56	56	56	53	53	53	47	47	47	45	45		
		Array Edge	67	67	67	63	63	63	56	62	62	62	62	59	52	59	58	58	58	55	49	55	54	54	54	51	45	51	51	51	48	48	48	44	48	48	48	44	48	48	48	45	45	45	42	42	42	45	45	45	43	43				
	C	45 to 90	Array Interior	93	93	89	89	89	89	89	89	89	84	84	84	84	84	86	86	86	80	80	80	80	82	82	82	75	75	75	75	79	79	71	71	71	71	71	76	76	76	67	67	67	71	71	63	63	63	63	63	63	63	63	63	
			Array Edge	83	83	76	76	76	76	76	79	79	70	70	70	70	74	74	65	65	65	65	65	65	65	69	69	61	61	61	61	61	65	65	65	57	57	57	57	61	61	61	54	54	54	54	58	58	51	51	51	51	51	51	51	51
		0 to 7	Array Interior	73	72	61	61	61	52	52	73	72	67	57	57	57	48	48	73	62	53	53	53	44	69	69	69	61	61	61	61	62	73	54	46	46	46	39	39	72	51	44	44	44	37	37	68	48	41	41	41	35	35			
			Array Edge	73	58	50	50	50	42	42	73	54	46	46	46	39	39	70	50	43	43	43	36	36	65	47	40	40	40	34	34	61	44	38	38	32	32	58	41	35	35	35	30	55	39	33	33	33	28	28						
7 to 20		Array Interior	66	66	66	53	53	49	61	61	61	49	49	49	45	45	57	57	57	46	46	46	42	62	62	62	47	47	47	45	58	58	58	44	44	43	43	39	50	50	50	40	40	40	37	47	47	47	38	38	35	44	44	44	36	36
		Array Edge	53	53	53	43	43	39	49	49	49	40	40	40	36	46	46	46	37	37	37	34	43	43	43	35	35	32	40	40	40	40	33	33	33	30	38	38	38	31	31	28	36	36	36	29	29	29	27	27						
20 to 27	Array Interior	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77			
	Array Edge	62	62	62	47	47	46	57	57	57	44	44	44	42	53	53	53	41	41	41	39	50	50	50	38	38	37	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47		
27 to 45	Array Interior	69	69	69	69	66	58	66	64	64	64	61	54	61	60	60	60	60	57	50	57	56	56	56	56	53	47	53	52	52	52	50	44	50	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49	49		
	Array Edge	56	56	56	56	53	47	53	52	52	52	49	44	49	48	48	48	48	46	41	46	45	45	45	45	43	38	43	42	42	42	40	36	40	40	40	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38	38		
D	0 to 7	Array Interior	84	84	79	79	79	79	79	81	81	73	73	73	73	73	77	77	77	68	68	68	68	68	72	72	72	63	63	63	63	63	67	67	59	59	59	59	63	63	63	63	63	63	63	63	63	63	63	63	63	63	63	63		
		Array Edge	72	72	64	64	64	64	64	67	67	59	59	59	59	59	62	62	55	55	55	55	55	58	58	51	51	51	51	51	55	55	48	48	48	48	48	51	51	51	45	45	45	45	49	49	43	43	43	43	43	43	43	43	43	
	7 to 20	Array Interior	74	74	53	45	45	45	38	69	49	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42		
		Array Edge	60	60	60	49	49	49	44	56	56	56	45	45	45	41	52	52	52	42	42	42	38	49	49	49	39	39	36	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	
	20 to 27	Array Interior	70	70	70	54	54	54	52	65	65	65	50	50	50	48	60	60	60	46	46	46	44	60	60	60	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46	46
		Array Edge	57	57	57	43	43	43	42	53	53	53	40	40	39	49	49	49	37	37	37	36	46	46	46	35	35	34	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43	43
35 psf	0 to 7	Array Interior	63	63	63	63	60	53	60	59	59	59	56	50	56	55	55	55	55	52	46	52	51	51	51	48	43	48	48	48	48	45	41	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	
		Array Edge	51	51	51	51	49	43	49	48	48	48	45	40	45	44	44	44	44	42	37	42	41	41	41	39	35	39	39	39	39	37	33	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
	7 to 20	Array Interior	80	80	72	72	72	72	72	76	76	67	67	67	67	67	70	70	70	62	62	62	62	66	66	66	58	58	58	58	58	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
		Array Edge	66	66	58	58	58	58	58	61	61	61	54	54	54	54	57	57	50	50	50	50	50	53	53	47	47	47	47	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
	20 to 27	Array Interior	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71
		Array Edge	71	70	59	59	50	50	71	64	55	55	55	46	46	71	60	51	51	51	43	43	71	56	48	48	48	40	40	71	52	45	45	45	38	38	69	49	42	42	42	36	36	69	49	42	42	42	36	36	69	49	42	42	42	
40 psf	0 to 7	Array Interior	71	71	61	61	61	52	71	67	67	57	57																																											

Maximum Rail Spans (Inches)				SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- Rail Only -- 82" x 42" (L)																ASCE 7-10																									
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->	90 mph			95 mph			100 mph			105 mph			110 mph			115 mph			120 mph			130 mph			140 mph			150 mph			160 mph			170 mph			180 mph			190 mph		
			Roof Zone ->	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
0 psf	B	0 to 7	All Mounts	116	116	116	116	116	114	116	116	110	116	116	106	116	116	103	116	116	99	116	116	96	113	113	91	107	107	86	101	101	82	97	97	78	93	93	73	89	89	69	85	85	65
		7 to 27	All Mounts	117	117	117	117	117	116	117	117	112	117	117	108	117	117	104	117	117	101	117	117	98	117	117	93	110	110	88	105	105	84	100	100	80	96	96	75	92	92	71	89	89	67
		27 to 45	All Mounts	119	119	119	119	119	119	119	119	119	119	119	119	119	119	117	117	117	114	112	112	110	107	107	104	102	102	99	98	98	94	94	94	90	91	91	86	88	88	83	85	85	80
		45 to 90	All Mounts	121	121	121	121	121	121	121	121	118	119	119	114	116	116	110	113	113	107	110	110	104	105	105	98	100	100	93	96	96	89	92	92	85	88	88	81	85	85	78	82	82	73
		0 to 7	All Mounts	116	116	105	116	116	101	116	116	97	116	116	94	113	113	91	109	109	88	106	106	85	99	99	81	94	94	75	90	90	70	86	86	65	82	82	61	79	79	58	74	74	55
		7 to 27	All Mounts	117	117	107	117	117	103	117	117	99	117	117	96	117	117	92	113	113	90	109	109	87	103	103	82	98	98	77	93	93	72	89	89	67	85	85	63	82	82	59	78	78	56
	27 to 45	All Mounts	119	119	119	116	116	116	113	113	112	110	110	108	107	107	104	104	104	101	101	101	98	97	97	92	92	92	88	89	89	84	85	85	80	82	82	75	78	78	71	74	74	67	
	45 to 90	All Mounts	118	118	113	114	114	109	111	111	105	108	108	101	105	105	98	102	102	95	99	99	92	95	95	87	90	90	83	86	86	79	82	82	74	78	78	69	74	74	65	70	70	62	
	0 to 7	All Mounts	116	116	99	116	116	95	114	114	91	109	109	88	106	106	85	102	102	83	99	99	80	94	94	74	89	89	69	85	85	64	81	81	60	76	76	56	72	72	53	68	68	50	
	7 to 27	All Mounts	117	117	101	117	117	97	117	117	93	113	113	90	110	110	87	106	106	84	103	103	82	97	97	76	92	92	71	88	88	66	84	84	62	80	80	58	76	76	55	72	72	52	
	27 to 45	All Mounts	114	114	113	111	111	109	107	107	105	104	104	101	102	102	98	99	99	95	96	96	92	92	92	87	88	88	83	84	84	79	80	80	73	76	76	69	71	71	65	68	68	62	
	45 to 90	All Mounts	112	112	106	109	109	102	106	106	99	102	102	95	100	100	92	97	97	90	94	94	87	89	89	82	85	85	78	81	81	72	77	77	68	72	72	64	68	68	60	64	64	57	
5 psf	B	0 to 7	All Mounts	112	112	112	112	112	112	112	112	110	112	112	106	112	112	102	112	112	99	112	112	96	112	112	91	107	107	86	101	101	82	97	97	78	93	93	73	89	89	69	85	85	65
		7 to 27	All Mounts	117	117	117	117	117	116	117	117	112	117	117	108	117	117	104	117	117	101	117	117	98	117	117	93	110	110	88	105	105	84	100	100	80	96	96	75	92	92	71	89	89	67
		27 to 45	All Mounts	119	119	119	119	119	119	119	119	119	119	119	119	119	119	117	117	117	114	112	112	110	107	107	104	102	102	99	98	98	94	94	94	90	91	91	86	88	88	83	85	85	80
		45 to 90	All Mounts	121	121	121	121	121	121	121	121	118	119	119	114	116	116	110	113	113	107	110	110	104	105	105	98	100	100	93	96	96	89	92	92	85	88	88	81	85	85	78	82	82	73
		0 to 7	All Mounts	112	112	105	112	112	101	112	112	97	112	112	94	112	112	91	109	109	88	106	106	85	99	99	81	94	94	75	90	90	70	86	86	65	82	82	61	79	79	58	74	74	55
		7 to 27	All Mounts	117	117	107	117	117	103	117	117	99	117	117	96	117	117	92	113	113	90	109	109	87	103	103	82	98	98	77	93	93	72	89	89	67	85	85	63	82	82	59	78	78	56
	27 to 45	All Mounts	119	119	119	116	116	116	113	113	112	110	110	108	107	107	104	104	104	101	101	101	98	97	97	92	92	92	88	89	89	84	85	85	80	82	82	75	78	78	71	74	74	67	
	45 to 90	All Mounts	118	118	113	114	114	109	111	111	105	108	108	101	105	105	98	102	102	95	99	99	92	95	95	87	90	90	83	86	86	79	82	82	74	78	78	69	74	74	65	70	70	62	
	0 to 7	All Mounts	112	112	99	112	112	95	112	112	91	109	109	88	106	106	85	102	102	83	99	99	80	94	94	74	89	89	69	85	85	64	81	81	60	76	76	56	72	72	53	68	68	50	
	7 to 27	All Mounts	117	117	101	117	117	97	117	117	93	113	113	90	110	110	87	106	106	84	103	103	82	97	97	76	92	92	71	88	88	66	84	84	62	80	80	58	76	76	55	72	72	52	
	27 to 45	All Mounts	114	114	113	111	111	109	107	107	105	104	104	101	102	102	98	99	99	95	96	96	92	92	92	87	88	88	83	84	84	79	80	80	73	76	76	69	71	71	65	68	68	62	
	45 to 90	All Mounts	112	112	106	109	109	102	106	106	99	102	102	95	100	100	92	97	97	90	94	94	87	89	89	82	85	85	78	81	81	72	77	77	68	72	72	64	68	68	60	64	64	57	
10 psf	B	0 to 7	All Mounts	104	104	104	104	104	104	104	104	104	104	104	104	104	104	102	104	104	99	104	104	96	104	104	91	104	104	86	101	101	82	97	97	78	93	93	73	89	89	69	85	85	65
		7 to 27	All Mounts	112	112	112	112	112	112	112	112	112	112	112	112	112	112	110	112	112	107	112	112	104	112	112	99	110	110	88	105	105	84	100	100	80	96	96	75	92	92	71	89	89	67
		27 to 45	All Mounts	119	119	119	119	119	119	119	119	119	119	119	119	119	119	117	117	117	114	112	112	110	107	107	104	102	102	99	98	98	94	94	94	90	91	91	86	88	88	83	85	85	80
		45 to 90	All Mounts	121	121	121	121	121	121	121	121	118	119	119	114	116	116	110	113	113	107	110	110	104	105	105	98	100	100	93	96	96	89	92	92	85	88	88	81	85	85	78	82	82	73
		0 to 7	All Mounts	104	104	104	104	104	101	104	104	97	104	104	94	104	104	91	104	104	88	104	104	85	99	99	81	94	94	75	90	90	70	86	86	65	82	82	61	79	79	58	74	74	55
		7 to 27	All Mounts	112	112	107	112	112	103	112	112	99	112	112	96	112	112	92	112	112	90	109	109	87	103	103	82	98	98	77	93	93	72	89	89	67	85	85	63	82	82	59	78	78	56
	27 to 45	All Mounts	119	119	119	116	116	116	113	113	112	110	110	108	107	107	104	104	104	101	101	101	98	97	97	92	92	92	88	89	89	84	85	85	80	82	82	75	78	78	71	74	74	67	
	45 to 90	All Mounts	118	118	113	114	114	109	111	111	105	108	108	101	105	105	98	102	102	95	99	99	92	95	95	87	90	90	83	86	86	79	82	82	74	78	78	69	74	74	65	70	70	62	
	0 to 7	All Mounts	104	104	99	104	104	95	104	104	91	104	104	88	104	104	85	102	102	83	99	99	80	94	94	74	89	89	69	85	85	64	81	81	60	76	76	56	72	72	53	68	68	50	

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- Rail Only -- 82" x 42" (L)																																																ASCE 7-16																																					
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->		130 mph												140 mph												150 mph												160 mph												170 mph												180 mph												190 mph											
			Rail	Edge	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r																														
30 psf	B	0 to 7	Array Interior	91	91	90	90	90	80	80	91	91	86	86	86	74	74	91	91	81	81	81	69	69	91	87	77	77	77	65	65	91	83	72	72	72	61	61	91	80	68	68	68	57	57	91	75	64	64	64	54	54																																				
			Array Edge	91	87	77	77	77	65	65	91	82	72	72	72	60	60	91	78	67	67	67	56	56	91	73	62	62	62	53	53	90	68	59	59	59	49	49	90	63	55	55	55	47	47	91	61	52	52	52	44	44																																				
		7 to 20	Array Interior	94	94	94	82	82	82	76	76	90	90	90	77	77	77	70	85	85	85	72	72	72	65	65	82	82	82	67	67	67	61	61	78	78	78	63	63	63	57	57	73	73	59	59	59	54	54	69	69	69	56	56	56																																	
			Array Edge	82	82	82	67	67	67	61	61	77	77	77	62	62	62	57	72	72	72	58	58	58	53	53	67	67	67	54	54	54	49	49	83	83	63	63	63	51	51	51	46	46	59	59	59	48	48	48	44	44	56	56	56	45	45	45																														
		20 to 27	Array Interior	96	96	96	87	87	87	81	81	96	96	96	83	83	83	81	95	95	95	79	79	79	76	90	90	90	74	74	74	71	87	87	87	69	69	69	66	66	83	83	63	63	63	55	55	63	63	63	55	55	63	63	62	62	62																															
			Array Edge	91	91	91	74	74	74	71	71	86	86	86	68	68	68	66	82	82	82	64	64	64	61	78	78	78	60	60	60	57	73	73	73	56	56	56	54	54	69	69	69	53	53	53	51	51	65	65	65	50	50	50	48	48	48																															
	27 to 45	Array Interior	98	98	98	94	94	94	87	87	93	93	93	83	83	83	89	88	88	88	85	85	85	85	84	84	84	84	81	73	81	81	81	81	81	81	79	79	79	77	77	77	77	77	77	77	65	65	73	73	73	69	61	69																																		
		Array Edge	85	85	85	82	74	82	80	80	80	80	80	77	68	71	75	75	75	75	71	64	71	64	71	70	70	70	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	59	53	59	59	59	56	50	56																																		
	45 to 90	Array Interior	112	112	106	106	106	106	106	107	107	107	101	101	101	101	101	103	103	96	96	96	96	96	90	90	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	92	85	85	88	88	88	88	88	88	88	88	88	88																																		
		Array Edge	99	99	92	92	92	92	92	92	95	95	87	87	87	87	87	91	91	83	83	83	83	83	87	87	80	80	80	80	80	83	83	75	75	75	75	75	75	80	80	71	71	71	71	71	71	71	71	71	71	71	71	71	71	71																																
	35 psf	C	0 to 7	Array Interior	91	89	80	80	80	67	67	91	84	74	74	74	62	62	89	80	69	69	69	58	58	91	76	65	65	65	54	54	91	71	61	61	61	51	51	89	67	57	57	57	48	48	85	63	54	54	54	46	46																																			
				Array Edge	91	76	65	65	65	55	55	91	70	60	60	60	51	51	87	65	56	56	56	47	47	83	61	52	52	52	44	44	80	57	49	49	49	42	42	75	54	46	46	46	39	39	71	51	44	44	44	37	37																																			
7 to 20			Array Interior	84	84	84	70	70	70	63	63	80	80	80	65	65	65	59	74	74	74	60	60	60	55	69	69	69	56	56	56	51	65	65	65	53	53	48	61	61	61	50	50	50	45	45	58	58	58	47	47	47	43	43																																		
			Array Edge	70	70	70	57	57	57	51	51	65	65	65	52	52	52	48	60	60	60	49	49	49	44	56	56	56	46	46	46	42	53	53	53	43	43	43	39	39	50	50	50	40	40	40	37	37	47	47	47	38	38	35																																		
20 to 27			Array Interior	93	93	93	77	77	77	74	74	88	88	88	71	71	71	68	84	84	84	66	66	66	63	80	80	80	62	62	62	59	76	76	76	58	58	58	56	56	71	71	71	55	55	55	53	53	67	67	67	52	52	52																																		
			Array Edge	81	81	81	62	62	62	60	60	75	75	75	57	57	57	55	70	70	70	54	54	54	51	65	65	65	50	50	50	48	61	61	61	47	47	47	45	45	58	58	58	44	44	44	43	43	55	55	55	42	42	42																																		
27 to 45		Array Interior	87	87	87	84	84	84	76	76	82	82	82	82	79	79	79	78	78	78	78	74	74	73	73	73	69	62	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69																																			
		Array Edge	73	73	73	73	69	62	69	68	68	68	68	64	57	64	63	63	63	63	60	53	60	59	59	59	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56																																		
45 to 90		Array Interior	101	101	94	94	94	94	94	97	97	90	90	90	90	90	90	93	93	85	85	85	85	85	89	89	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82																																			
		Array Edge	89	89	82	82	82	82	82	82	85	85	77	77	77	77	77	81	81	72	72	72	72	72	76	76	67	67	67	67	67	71	71	71	63	63	63	63	63	67	67	60	60	60	60	60	64	64	56	56	56	56	56																																			
40 psf		D	0 to 7	Array Interior	92	84	73	73	73	62	62	91	80	68	68	68	57	57	92	74	63	63	63	53	91	69	59	59	59	50	78	56	48	48	41	41	87	65	56	56	56	47	47	83	61	52	52	52	44	44	80	58	50	50	50	42	42																															
				Array Edge	91	70	59	59	59	50	50	86	64	55	55	55	46	46	82	60	51	51	51	43	43	78	56	48	48	41	41	73	53	45	45	45	38	38	69	50	43	43	43	36	36	65	47	40	40	40	34	34																																				
	7 to 20		Array Interior	79	79	79	64	64	64	58	58	73	73	73	59	59	59	54	68	68	68	55	55	55	50	64	64	64	52	52	52	47	60	60	60	48	48	48	44	44	56	56	56	46	46	46	46	46	46	46	46	46	46	46	46																																	
			Array Edge	64	64	64	52	52	52	47	47	59	59	59	48	48	48	44	55	55	55	45	45	45	41	52	52	52	42	42	42	38	48	48	48	39	39	39	36	36	46	46	46	37	37	37	34	34	43	43	35	35	35																																			
	20 to 27		Array Interior	87	87	87	70	70	70	67	67	83	83	83	65	65	65	62	79	79	79	60	60	60	58	74	74	74	57	57	57	54	69	69	69	53	53	53	51	51	65	65	65	50	50	50	48	48	62	62	62	47	47	47																																		
			Array Edge	74	74	74	57	57	57	55	55	69	69	69	53	53	53	51	64	64	64	49	49	49	47	60	60	60	46	46	46	44	56	56	56	43	43	43	42	42	53	53	53	41	41	39	50	50	39	39	39																																					
	27 to 45	Array Interior	82	82	82	82	78	78	78	71	71	71	77	77	77	65	73	71	71	71	68	68	68	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67																																				
		Array Edge	67	67	67	67	67	67	67	67	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62																																				
	45 to 90	Array Interior	96	96	96	96	94	94	94	93	93	93	93	89	89	89	89	92	92	84	84	84	84	84	88	88	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81																																				
		Array Edge	84	84	76	76	76	76	76	80	80	71	71	71	71	71	74	74	66	66	66	66	66	70	70	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62																																			
	40 psf	B	0 to 7	Array Interior	86	86	86	86	86	80	86	86	86	86	86	74	74	86	86	81	81	81	69	69	86	86	77	77																																																												

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- Rail Only -- 82" x 42" (L)																								ASCE 7-16																										
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed -> Roof Zone ->	130 mph						140 mph						150 mph						160 mph						170 mph						180 mph						190 mph													
				1'	1	2e	2r	2n	3e	3r	1'	1	2e	2r	2n	3e	3r	1'	1	2e	2r	2n	3e	3r	1'	1	2e	2r	2n	3e	3r	1'	1	2e	2r	2n	3e	3r	1'	1	2e	2r	2n	3e	3r	1'	1	2e	2r	2n	3e	3r	
45 psf	B	0 to 7	Array Interior	83	83	83	83	83	80	83	83	83	83	74	74	83	83	81	81	81	69	69	83	83	77	77	77	65	65	83	83	72	72	72	61	61	83	80	68	68	57	57	83	75	64	64	64	54	54				
			Array Edge	83	83	77	77	77	65	65	83	82	72	72	72	60	60	83	78	67	67	61	59	66	83	73	62	62	62	53	53	83	68	59	59	59	49	49	83	64	55	55	55	47	47	82	61	52	52	52	44	44	
		7 to 20	Array Interior	86	86	86	82	82	82	76	86	86	86	77	77	77	70	85	85	85	72	72	72	82	82	82	67	67	67	61	61	78	78	63	63	63	57	57	73	73	73	59	59	59	54	54	69	69	69	56	56	56	
			Array Edge	82	82	82	67	67	67	61	77	77	77	62	62	62	57	72	72	72	58	58	58	63	63	63	54	54	54	49	49	67	67	67	54	54	54	49	49	63	63	63	51	51	51	46	46	59	59	59	48	48	48
		20 to 27	Array Interior	84	84	84	84	84	84	84	84	84	84	83	83	83	81	84	84	84	79	79	79	76	84	84	84	74	74	74	71	84	84	84	69	69	69	66	66	83	83	83	65	65	65	63	80	80	80	62	62	62	
			Array Edge	84	84	84	74	74	74	71	84	84	84	68	68	68	66	82	82	82	64	64	64	61	78	78	78	60	60	60	57	73	73	73	56	56	56	54	69	69	69	53	53	53	51	65	65	65	50	50	50	48	48
		27 to 45	Array Interior	90	90	90	90	90	87	90	90	90	90	89	83	89	88	88	88	85	78	85	84	84	84	81	73	81	81	81	81	81	81	81	77	69	77	77	77	77	77	77	77	77	77	77	77	77	77	69	61	69	
			Array Edge	85	85	85	82	82	82	74	80	80	80	80	77	68	77	75	75	75	71	64	71	70	70	70	62	62	62	57	66	66	66	56	56	56	53	59	59	59	53	59	59	59	59	59	59	59	59	59	56	50	56
		45 to 90	Array Interior	112	112	106	106	106	106	106	107	107	101	101	101	101	101	103	103	96	96	96	96	96	99	99	92	92	92	92	95	95	88	88	88	88	88	88	92	92	85	85	85	85	85	85	85	85	85	85	85	85	
			Array Edge	99	99	92	92	92	92	92	95	95	87	87	87	87	87	91	91	83	83	83	83	83	87	87	80	80	80	80	83	83	75	75	75	75	75	80	80	71	71	71	71	71	71	71	71	71	71	71	71	71	71
		C	0 to 7	Array Interior	83	83	80	80	67	67	83	83	74	74	74	62	62	83	80	69	69	69	58	58	83	76	65	65	65	54	83	71	61	61	61	51	51	83	67	57	57	57	48	48	83	63	54	54	54	46	46		
				Array Edge	83	83	76	65	65	55	55	83	80	60	60	60	51	51	83	65	56	56	56	47	47	82	61	52	52	52	44	80	57	49	49	49	42	42	75	54	46	46	46	39	39	71	51	44	44	44	37	37	
	7 to 20		Array Interior	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84
			Array Edge	84	84	84	77	77	77	74	84	84	84	71	71	71	68	84	84	84	66	66	66	63	80	80	80	62	62	62	59	76	76	76	58	58	58	56	71	71	71	71	71	71	71	71	71	71	71	71	71	71	
	20 to 27		Array Interior	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	
			Array Edge	81	81	81	62	62	62	60	75	75	75	57	57	55	70	70	70	54	54	54	51	65	65	65	50	50	50	48	61	61	61	47	47	47	45	58	58	58	44	44	44	44	44	44	44	44	44	44	44	44	
	27 to 45		Array Interior	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	
			Array Edge	73	73	73	69	62	69	68	68	68	64	57	64	63	63	63	63	60	53	60	59	59	59	56	56	56	53	47	53	52	52	52	44	50	50	50	44	50	50	50	44	50	50	50	44	50	50	50	47	42	47
	45 to 90		Array Interior	101	101	94	94	94	94	94	97	97	90	90	90	90	90	93	93	85	85	85	85	85	89	89	82	82	82	82	85	85	78	78	78	78	78	82	82	73	73	73	73	73	73	73	73	73	73	73	73	73	
			Array Edge	89	89	82	82	82	82	82	85	85	77	77	77	77	77	81	81	72	72	72	72	72	76	76	67	67	67	67	81	71	63	63	63	63	67	67	60	60	60	60	60	64	64	56	56	56	56	56	56	56	
	D		0 to 7	Array Interior	86	84	73	73	62	62	86	80	68	68	68	57	57	86	74	63	63	63	53	86	69	59	59	59	50	85	65	56	56	56	47	47	83	61	52	52	52	44	44	80	58	50	50	50	42	42			
				Array Edge	86	80	59	59	59	50	85	64	55	55	55	46	46	82	60	51	51	51	43	78	56	48	48	41	41	73	53	45	45	45	38	38	69	50	43	43	43	36	36	65	47	40	40	40	34	34			
		7 to 20	Array Interior	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	
			Array Edge	64	64	64	52	52	52	47	59	59	48	48	48	44	44	55	55	45	45	45	41	52	52	52	42	42	42	38	48	48	48	39	39	39	36	46	46	46	46	46	46	46	46	46	46	46	46	46	46		
20 to 27		Array Interior	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87		
		Array Edge	74	74	74	57	57	57	55	69	69	69	53	53	53	51	64	64	64	49	49	49	47	60	60	60	46	46	46	44	56	56	56	43	43	43	42	53	53	53	41	41	39	50	50	39	39	39	37				
27 to 45		Array Interior	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82		
		Array Edge	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	
45 to 90		Array Interior	96	96	89	89	89	89	89	96	96	89	89	89	89	96	96	89	89	89	89	89	96	96	89	89	89	89	96	96	89	89	89	89	89	96	96	89	89	89	89	89	96	96	89	89	89	89	89	89	89	89	
		Array Edge	84	84	76	76	76	76	76	80	80	71	71	71	71	74	74	66	66	66	66	66	70	70	62	62	62	62	65	65	58	58	58	58	58	62	62	55	55	55	55	55	58	58	52	52	52	52	52	52			
B		0 to 7	Array Interior	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	
			Array Edge	81	81	77	77	77	65	65	81	81	72	72	72	60	60	81	78	67	67	67	56	56	81	73	62	62	62	53	53	81	68	59	59	59	49	49	81	64	55	55	55	47	47	80	61	52	52	52	44	44	
	7 to 20																																																				

