



November 15, 2022

Sunmodo Corp
14800 NE 65th St
Vancouver, WA 98682
TEL: (360) 844-0048

Attn.: Sunmodo Corp - Engineering Department

Re: Report # 2021-02963HG.01 – Sunmodo SMR100
Subject: Engineering Certification for the State of Pennsylvania

PZSE, Inc. – Structural Engineers has provided engineering and span tables for the Sunmodo SMR100 Rail, as presented in PZSE Report # 2021-02963HG.01, "Sunmodo SMR100 Rail, Engineering Certification for Gable and Hip Roofs". All information, data, and analysis therein are based on, and comply with, the following building codes and typical specifications:

- Building Codes:
1. ASCE/SEI 7-10 & 7-16, Minimum Design Loads for Buildings and other Structures, by American Society of Civil Engineers
 2. Pennsylvania Uniform Constuction Code
 3. 2012, 2015, & 2018 International Building Code, by International Code Council, Inc.
 4. 2012, 2015, & 2018 International Residential Code, by International Code Council, Inc.
 5. AC428, Acceptance Criteria for Modular Framing Systems Used to Support Photovoltaic (PV) Panels, November 1, 2012 by ICC-ES
 6. Aluminum Design Manual 2015, by The Aluminum Association, Inc.
 7. ANSI/AWC NDS-2012, 2015, & 2018, National Design Specification for Wood Construction, by the American Wood Council

Design Criteria:


Risk Category II
 Seismic Design Category = A - E
 Exposure Category = B, C & D
 Basic Wind Speed (ultimate) per ASCE 7-10 & 7-16 = 90 mph to 190 mph
 Ground Snow Load = 0 to 90 (psf)

This letter certifies that the loading criteria and design basis for the Sunmodo SMR100 Rail Span Tables are in compliance with the above codes.

DIGITALLY SIGNED

If you have any questions on the above, do not hesitate to call.

Prepared by:
PZSE, Inc. – Structural Engineers
Roseville, CA





September 1, 2021

SunModo Corp
14800 NE 65th St
Vancouver, WA 98682
TEL: (360) 844-0048

Attn.: Sunmodo - Engineering Department

Re: Report #2021-02963HG.01 SunModo SMR100 Rail, Engineering Certification for Gable and Hip roofs.

PZSE, Inc. - Structural Engineers have reviewed SunModo SMR100 Rail. All information, data, and analysis contained within the SunModo SMR100 Rail span tables are based on and comply with the following codes:

1. Minimum Design Loads for Buildings and Other Structures, ASCE/SEI 7-10 & ASCE/SEI 7-16
2. 2012 - 2018 International Building Codes, by the International Code Council, Inc.
3. 2012 - 2018 International Residential Code, by the International Code Council, Inc.
4. AC428, Acceptance Criteria for Modular Framing Systems Used to Support Photovoltaic (PV) Panels, November 1, 2012, by ICC-ES
5. Aluminum Design Manual 2010 & 2015, by The Aluminum Association, Inc.
6. ANSI/AWC NDS-2012 & 2015, National Design Specification for Wood Construction, by the American Wood Council

Following are typical specifications to meet the above code requirements:

Design Criteria: Ground Snow Load = 0 - 90 (psf)
Basic Wind Speed = 90 - 190 (mph)
Roof Mean Height = 0 - 30 (ft)
Enclosed and Partially Enclosed Gable and Hip Roof Pitch = 0° - 90° (degrees)
Exposure Category = B, C & D

Cantilever: Maximum cantilever length is L/3, where "L" is the span noted in the Span Tables, provided there is at least 1 module length between maximum cantilevers.

Clearance: 2" Minimum clear and 10" Maximum clear from the top of the roof to top of PV panel.

Splice:

Rails installed with (2) Roof Attachments (1 rail span)*: SMR100 Rail Splice where required shall be installed within a distance of $L/4$ from either Roof Attachment, where “L” is the rail span.

Rails installed with (3) or more Roof Attachments (2 or more rail spans)*: SMR100 Rail Splice where required shall not be installed within a distance of $L/8$ from any Roof Attachment, where “L” is the rail span.

*SMR100 Rail Splice may be installed on any portion of the span in instances where the rail is continuous over two roof attachments on both sides of the splice.

Tolerance(s):

1.0” tolerance for any specified dimension in this report is allowed for installation.

Installation Orientation:

Landscape (L) - PV Panel long dimension is parallel to the ridge/eave line of roof, and the PV panel is mounted on the long side.
 Portrait (P) - PV Panel short dimension is parallel to the ridge/eave line of roof, and the PV panel is mounted on the short side.
 Rail Spacing Tables assume maximum panel dimensions are: 82” x 42”

Rail Materials:

The SMR100 Rail Aluminum Alloys: 6005-T5, 6005A-T61, 6061-T6

Components and Cladding Roof Zones:

Roof Zones – Enclosed and Partially Enclosed Gable Roofs, $\theta \leq 7^\circ$:

The zones shall be determined using figure 30.3-2A of ASCE 7-16 (or figure 30.4-2A of ASCE 7-10). See Figure 1.




Figure 1: Roof Edge and Corner Zones, Gable Roofs, $\theta \leq 7^\circ$

Roof Zones – Enclosed and Partially Enclosed Gable and Hip Roofs, $7^\circ < \theta \leq 90^\circ$:

The Edge Zone, “a,” shall be determined using figure 30.3-2B to figure 30.3-2D of ASCE 7-16 (or figure 30.4-2A to figure 30.4-2A of ASCE 7-10), for Gable roofs. The Edge Zone, “a,” shall be determined using figure 30.3-2E to figure 30.3-2I of ASCE 7-16 (or figure 30.4-2B – figure 30.4-2C of ASCE 7-10), for Hip roofs. Roofs from $45^\circ < \theta \leq 90^\circ$ shall use the same Edge Zone, “a” determination as roofs from $27^\circ < \theta \leq 45^\circ$.




Figure 2: Roof Zones, Gable and Hip Roofs, $7^\circ < \theta \leq 90^\circ$

Panel with Support Mounts in Multiple Roof Zones:

Edge and Corner Zone spacings (Zone 2 & 3, respectively) apply only to mounts located in those Zones, not to all the mounts supporting the module.

- Notes:
- 1) Tables are determined for Rail only and do not include roof capacity check.
 - 2) Risk Category II per ASCE 7-10 & ASCE 7-16.
 - 3) Topographic factor, k_{zt} is 1.0.
 - 4) Average parapet height is 0.0 ft.
 - 5) Wind speeds are LRFD values.
 - 6) Attachment spacing(s) apply to a seismic design category E or less.



Design Responsibility:

These tables are intended to be used under the responsible charge of a registered design professional where required by the authority having jurisdiction. In all cases, these tables should be used under the direction of a design professional with sufficient structural engineering knowledge and experience to be able to:

- Evaluate whether these tables apply to the project, and
- Understand and determine the appropriate values for all input parameters of these tables.

This letter certifies that the SunModo SMR100 Rail, when installed according to the limitations of this letter and the attached span tables, complies with the above codes and loading criteria. This certification excludes evaluation of the building structure to support the loads imposed on the building by the array; including, but not limited to strength and deflection of structural framing members, fastening and/or strength of roofing materials, and/or the effects of snow accumulation on the roof. Structures will require additional knowledge of the building and are outside the scope of the certification of this racking system.

If you have any questions on the above, do not hesitate to call.

Prepared by:
PZSE, Inc. – Structural Engineers
Roseville, CA



Table of Contents

Item	Page #
SunModo SMR200 Rail Flush-Mount System – Gable and Hip Roofs.....	
Span Tables – ASCE 7-10 Wind Design - Portrait	6
Span Tables – ASCE 7-16 Wind Design - Portrait	9
Span Tables – ASCE 7-10 Wind Design - Landscape.....	19
Span Tables – ASCE 7-16 Wind Design - Landscape.....	22

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- ASCE 7-16 -- 72-Cell (P)																																																																																																																																																																					
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->			130 mph						140 mph						150 mph						160 mph						170 mph						180 mph						190 mph																																																																																																																														
			1'	2e'	2r'	2n'	3e'	3r'	1'	2e'	2r'	2n'	3e'	3r'	1'	2e'	2r'	2n'	3e'	3r'	1'	2e'	2r'	2n'	3e'	3r'	1'	2e'	2r'	2n'	3e'	3r'	1'	2e'	2r'	2n'	3e'	3r'	1'	2e'	2r'	2n'	3e'	3r'																																																																																																																												
		Roof Zone ->																																																																																																																																																																						
0 psf	B	0 to 7	Array Interior	93	84	74	74	74	62	62	93	80	68	68	68	57	57	93	74	63	63	63	53	53	92	69	59	59	59	50	50	88	65	55	55	55	47	47	84	61	52	52	52	44	44	81	58	49	49	49	41	41	79	79	79	64	64	64	64	64	51	51	51	47	47	59	59	59	59	50	50	87	64	55	55	55	46	46	83	60	51	51	51	43	43	79	56	48	48	48	40	40	63	63	63	51	51	51	47	59	59	59	59	50	50	51	51	51	41	41	41	38	48	48	48	48	48	44	44	69	69	69	53	53	53	51	65	65	65	50	50	50	47	64	64	64	49	49	49	47	59	59	59	46	46	46	46	56	56	56	43	43	43	41	53	53	53	40	40	40	39	50	50	50	38	38	38	37
			Array Exterior	92	79	79	79	79	64	64	64	87	73	73	73	73	64	64	83	68	68	68	68	55	55	55	82	68	68	68	68	50	50	79	79	71	71	71	71	71	76	76	67	67	67	67	67	71	71	63	63	63	63	63	68	68	68	68	68	68	68	64	64	64	51	51	51	51	61	61	61	41	41	41	38	51	51	51	41	41	41	38	48	48	48	48	48	48	48	69	69	69	53	53	53	51	65	65	65	50	50	50	47	64	64	64	49	49	49	47	59	59	59	46	46	46	46	56	56	56	43	43	43	41	53	53	53	40	40	40	39																																					
		Array Edge	92	79	79	79	79	64	64	64	87	73	73	73	73	64	64	83	68	68	68	68	55	55	55	82	68	68	68	68	50	50	79	79	71	71	71	71	71	76	76	67	67	67	67	67	71	71	63	63	63	63	63	68	68	68	68	68	68	68	64	64	64	51	51	51	51	61	61	61	41	41	41	38	51	51	51	41	41	41	38	48	48	48	48	48	48	48	69	69	69	53	53	53	51	65	65	65	50	50	50	47	64	64	64	49	49	49	47	59	59	59	46	46	46	46	56	56	56	43	43	43	41	53	53	53	40	40	40	39																																						
		7 to 20	Array Interior	88	88	88	88	88	70	70	70	83	83	83	83	83	83	79	79	79	79	79	70	70	70	74	74	74	74	74	74	69	69	69	69	69	69	69	64	64	64	64	64	64	64	59	59	59	59	59	59	59	56	56	56	56	56	56	56	53	53	53	53	53	53	53	50	50	50	50	50	50	50																																																																																															
			Array Exterior	88	88	88	88	88	70	70	70	83	83	83	83	83	83	79	79	79	79	79	70	70	70	74	74	74	74	74	74	69	69	69	69	69	69	69	64	64	64	64	64	64	64	59	59	59	59	59	59	59	56	56	56	56	56	56	56	53	53	53	53	53	53	53	50	50	50	50	50	50	50																																																																																															
			Array Edge	88	88	88	88	88	70	70	70	83	83	83	83	83	83	79	79	79	79	79	70	70	70	74	74	74	74	74	74	69	69	69	69	69	69	69	64	64	64	64	64	64	64	59	59	59	59	59	59	59	56	56	56	56	56	56	56	53	53	53	53	53	53	53	50	50	50	50	50	50	50																																																																																															
			Array Interior	82	82	82	82	82	78	78	78	77	77	77	77	77	77	72	72	72	72	72	72	72	72	67	67	67	67	67	67	62	62	62	62	62	62	62	57	57	57	57	57	57	57	52	52	52	52	52	52	52	47	47	47	47	47	47	47	42	42	42	42	42	42	42																																																																																																						
			Array Exterior	82	82	82	82	82	78	78	78	77	77	77	77	77	77	72	72	72	72	72	72	72	72	67	67	67	67	67	67	62	62	62	62	62	62	62	57	57	57	57	57	57	57	52	52	52	52	52	52	52	47	47	47	47	47	47	47	42	42	42	42	42	42	42																																																																																																						
			Array Edge	82	82	82	82	82	78	78	78	77	77	77	77	77	77	72	72	72	72	72	72	72	72	67	67	67	67	67	67	62	62	62	62	62	62	62	57	57	57	57	57	57	57	52	52	52	52	52	52	52	47	47	47	47	47	47	47	42	42	42	42	42	42	42																																																																																																						
		20 to 27	Array Interior	66	66	66	66	66	53	53	53	61	61	61	61	61	61	57	57	57	57	57	57	57	57	52	52	52	52	52	52	47	47	47	47	47	47	47	42	42	42	42	42	42	42	37	37	37	37	37	37	37																																																																																																																				
			Array Exterior	66	66	66	66	66	53	53	53	61	61	61	61	61	61	57	57	57	57	57	57	57	57	52	52	52	52	52	52	47	47	47	47	47	47	47	42	42	42	42	42	42	42	37	37	37	37	37	37	37																																																																																																																				
			Array Edge	66	66	66	66	66	53	53	53	61	61	61	61	61	61	57	57	57	57	57	57	57	57	52	52	52	52	52	52	47	47	47	47	47	47	47	42	42	42	42	42	42	42	37	37	37	37	37	37	37																																																																																																																				
			Array Interior	63	63	63	63	63	53	53	53	60	60	60	60	60	60	55	55	55	55	55	55	55	55	50	50	50	50	50	50	45	45	45	45	45	45	45	40	40	40	40	40	40	40																																																																																																																											
			Array Exterior	63	63	63	63	63	53	53	53	60	60	60	60	60	60	55	55	55	55	55	55	55	55	50	50	50	50	50	50	45	45	45	45	45	45	45	40	40	40	40	40	40	40																																																																																																																											
			Array Edge	63	63	63	63	63	53	53	53	60	60	60	60	60	60	55	55	55	55	55	55	55	55	50	50	50	50	50	50	45	45	45	45	45	45	45	40	40	40	40	40	40	40																																																																																																																											

Maximum Rail Spans (Inches)				SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- ASCE 7-16 -- 72-Cell (P)																																																					
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->	90 mph						95 mph						100 mph						105 mph						110 mph						115 mph						120 mph																	
			Roof Zone ->	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r						
30 psf	B	0 to 7	Array Interior	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73
		Array Edge	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73							
		7 to 20	Array Interior	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75						
		Array Edge	75	75	75	75	75	69	75	75	75	72	72	65	75	75	75	68	68	68	75	75	64	64	64	59	75	75	75	61	61	61	56	73	73	59	59	53	69	69	69	56	56	56	73	73	73	64	64	64							
		20 to 27	Array Interior	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77						
		Array Edge	77	77	77	77	77	77	77	77	77	77	77	76	77	77	77	75	75	75	77	77	77	71	71	68	77	77	77	68	68	68	65	77	77	64	64	64	62	77	77	62	62	62	62	62	62	62	62	62							
	27 to 45	Array Interior	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80							
	Array Edge	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	79	80	80	80	80	80	80	76	67	67	67	67	67	76	76	76	76	76	76	76	76	76	76	76	76								
	45 to 90	Array Interior	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96							
	Array Edge	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94								
	C	0 to 7	Array Interior	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73						
		Array Edge	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73													
7 to 20		Array Interior	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75													
Array Edge		75	75	75	75	75	69	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	73	73	66														
20 to 27		Array Interior	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77													
Array Edge		77	77	77	77	77	77	77	77	77	77	77	76	77	77	77	75	75	75	77	77	77	71	71	68	77	77	77	68	68	68	65	77	77	64	64	64	62	77	77	62	62	62	62	62	62	62	62	62								
D	0 to 7	Array Interior	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73													
	Array Edge	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73														
	7 to 20	Array Interior	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75													
	Array Edge	75	75	75	75	75	69	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	72	72	65	75	75	75	73	73	66																				
	20 to 27	Array Interior	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77													
	Array Edge	77	77	77	77	77	77	77	77	77	77	77	76	77	77	77	75	75	75	77	77	77	71	71	68	77	77	77	68	68	68	65	77	77	64	64	64	62	77	77	62	62	62	62	62	62	62	62	62								

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- ASCE 7-16 -- 72-Cell (P)																																																																																					
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->		90 mph												95 mph												100 mph												105 mph												110 mph												115 mph												120 mph											
			Roof Zone ->	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r	1' 1	2e	2r	2n	3e	3r																																					
45 psf	B	0 to 7	Array Interior	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65																																						
		Array Edge	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68																																			
		7 to 20	Array Interior	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68																																	
		Array Edge	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68																																		
		20 to 27	Array Interior	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67																																	
		Array Edge	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67																																
	27 to 45	Array Interior	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72																																
	Array Edge	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72	72																																
	45 to 90	Array Interior	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90																												
	Array Edge	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90	90																													
	0 to 7	Array Interior	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65																														
	Array Edge	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65																													

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- ASCE 7-16 -- 72-Cell (L)																																																			
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->		130 mph						140 mph						150 mph						160 mph						170 mph						180 mph						190 mph													
			Roof Zone ->	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r									
0 psf	B	0 to 7	Array Interior	116	101	90	90	80	80	116	95	86	86	86	74	74	115	91	81	81	81	69	69	109	87	77	77	77	65	65	104	83	72	72	72	61	61	100	80	68	68	68	57	57	96	75	64	64	64	54	54			
			Array Edge	110	87	77	77	77	65	65	104	82	72	72	72	60	60	99	78	67	67	67	56	56	94	73	62	62	62	53	53	90	68	59	59	59	49	49	86	64	55	55	55	47	47	83	61	52	52	52	44	44		
		7 to 20	Array Interior	95	95	82	82	82	76	76	90	90	90	77	77	70	70	85	85	85	85	85	72	72	82	82	62	62	62	67	67	78	78	78	63	63	63	57	73	73	73	59	59	59	54	69	69	69	56	56	56	51		
			Array Edge	82	82	82	67	67	67	61	61	77	77	77	62	62	62	57	57	72	72	72	58	58	58	53	67	67	67	54	54	54	49	63	63	63	51	51	51	46	59	59	59	48	48	48	44							
		20 to 27	Array Interior	105	105	105	87	87	87	85	85	99	99	99	83	83	83	81	81	95	95	95	79	79	79	76	90	90	90	74	74	74	71	87	87	87	69	69	69	66	83	83	83	65	65	65	63	80	80	80	62	62	62	59
			Array Edge	91	91	91	74	74	74	71	71	86	86	86	68	68	68	66	66	82	82	82	64	64	64	61	78	78	78	60	60	60	57	73	73	73	56	56	56	54	69	69	69	53	53	53	51							
		27 to 45	Array Interior	98	98	98	94	94	87	87	87	93	93	93	89	89	89	89	89	88	88	88	85	85	85	85	84	84	84	84	84	84	84	81	81	81	81	81	81	81	77	77	77	77	77	77	77	77	77	77	73	73	73	69
			Array Edge	85	85	85	82	82	82	82	82	80	80	80	80	77	77	77	77	75	75	75	75	75	75	75	70	70	70	70	70	70	70	66	66	66	66	66	66	66	62	62	62	62	62	62	62							
		45 to 90	Array Interior	112	112	106	106	106	106	106	106	107	107	101	101	101	101	101	103	103	96	96	96	96	96	99	99	92	92	92	92	92	95	95	88	88	88	88	88	92	92	85	85	85	85	85	89	89	81	81	81	81	81	
			Array Edge	99	99	92	92	92	92	92	92	95	95	87	87	87	87	87	91	91	83	83	83	83	83	87	87	80	80	80	80	80	83	83	75	75	75	75	75	80	80	71	71	71	71	71								
		C	0 to 7	Array Interior	112	89	80	80	80	67	67	106	84	74	74	74	62	62	101	80	69	69	69	58	58	96	76	65	65	65	54	54	92	71	61	61	61	51	51	89	67	57	57	57	48	48	85	63	54	54	54	46	46	
				Array Edge	97	76	65	65	65	55	55	92	70	60	60	60	51	51	87	65	56	56	56	47	47	83	61	52	52	52	44	44	80	57	49	49	49	42	42	75	64	46	46	46	39	39								
	7 to 20		Array Interior	84	84	70	70	70	63	63	80	80	65	65	65	59	59	74	74	74	60	60	60	55	69	69	69	56	56	56	51	65	65	53	53	53	48	48	61	61	61	50	50	50	45									
			Array Edge	70	70	57	57	57	51	51	65	65	52	52	52	48	48	60	60	60	49	49	49	44	56	56	56	46	46	46	41	53	53	43	43	43	39	39	50	50	40	40	40	37	37									
	20 to 27		Array Interior	93	93	93	77	77	77	74	74	88	88	71	71	71	68	68	84	84	84	66	66	66	63	80	80	80	62	62	62	59	76	76	76	58	58	58	56	71	71	71	55	55	55	53								
			Array Edge	81	81	81	62	62	62	60	60	75	75	75	57	57	57	70	70	70	54	54	54	51	65	65	65	50	50	50	48	61	61	61	47	47	47	45	58	58	44	44	44	44	42									
	27 to 45		Array Interior	87	87	87	84	84	76	76	76	82	82	82	82	79	79	78	78	78	78	74	74	74	73	73	73	69	69	69	69	69	69	65	65	65	61	61	61	61	58	58	58	58										
			Array Edge	73	73	73	69	69	69	62	62	68	68	68	68	64	64	63	63	63	63	60	60	60	59	59	59	56	56	56	56	56	56	53	53	53	53	53	53	53	44	44	44	42										
	45 to 90		Array Interior	101	101	94	94	94	94	94	94	97	97	90	90	90	90	93	93	85	85	85	85	85	89	89	82	82	82	82	82	85	85	78	78	78	78	78	82	82	73	73	73	73	73									
			Array Edge	89	89	82	82	82	82	82	82	85	85	77	77	77	77	82	82	82	82	82	82	82	87	87	80	80	80	80	80	83	83	75	75	75	75	75	80	80	71	71	71	71	71									
	5 psf		B	0 to 7	Array Interior	112	101	90	90	80	80	112	95	86	86	86	74	74	112	91	81	81	81	69	69	109	87	77	77	77	65	65	104	83	72	72	72	61	61	100	80	68	68	68	57	57	96	75	64	64	64	54	54	
					Array Edge	110	87	77	77	77	65	65	104	82	72	72	72	60	60	99	78	67	67	67	56	56	94	73	62	62	62	53	53	90	68	59	59	59	49	49	86	64	55	55	55	47	47	83	61	52	52	52	44	44
		7 to 20		Array Interior	95	95	82	82	82	76	76	90	90	90	77	77	70	70	85	85	85	85	85	72	72	82	82	62	62	62	67	67	78	78	78	63	63	63	57	73	73	73	59	59	59	54	69	69	69	56	56	56	51	
				Array Edge	82	82	82	67	67	67	61	61	77	77	77	62	62	62	57	57	72	72	72	58	58	58	53	67	67	67	54	54	54	49	63	63	63	51	51	51	46	59	59	59	48	48	48	44						
20 to 27		Array Interior		105	105	105	87	87	87	85	85	99	99	99	83	83	83	81	81	95	95	95	79	79	79	76	90	90	90	74	74	74	71	87	87	87	69	69	69	66	83	83	83	65	65	65	63	80	80	80	62	62	62	59
		Array Edge		91	91	91	74	74	74	71	71	86	86	86	68	68	68	66	66	82	82	82	64	64	64	61	78	78	78	60	60	60	57	73	73	73	56	56	56	54	69	69	69	53	53	53	51							
27 to 45		Array Interior		98	98	98	94	94	87	87	87	93	93	93	89	89	89	89	89	88	88	88	85	85	85	85	84	84	84	84	84	84	84	81	81	81	81	81	81	81	77	77	77	77	77	77	77	77	77	77	73	73	73	69
		Array Edge		85	85	85	82	82	82	82	82	80	80	80	80	77	77	77	77	75	75	75	75	75	75	75	70	70	70	70	70	70	70	66	66	66	66	66	66	66	62	62	62	62	62	62	62							
45 to 90		Array Interior		112	112	106	106	106	106	106	106	107	107	101	101	101	101	101	103	103	96	96	96	96	96	99	99	92	92	92	92	92	95	95	88	88	88	88	88	92	92	85	85	85	85	85	89	89	81	81	81	81	81	
		Array Edge		99	99	92	92	92	92	92	92	95	95	87	87	87	87	87	91	91	83	83	83	83	83	87	87	80	80	80	80	80	83	83	75	75	75	75	75	80	80	71	71	71	71	71								
10 psf		C		0 to 7	Array Interior	112	89	80	80	80	67	67	106	84	74	74	74	62	62	101	80	69	69	69	58	58	96	76	65	65	65	54	54	92	71	61	61	61	51	51	89	67	57	57	57	48	48	85	63	54	54	54	46	46
					Array Edge	97	76	65	65	65	55	55	92	70	60	60	60	51	51	87	65	56	56	56	47	47	83	61	52	52	52	44	44	80	57	49	49	49	42	42	75	64	46	46	46	39	39							
	7 to 20		Array Interior	84	84	70	70	70	63	63	80	80	65	65	65	59	59	74	74	74	60	60	60	55	69	69	69	56	56	56	51	65	65	53	53	53	48	48	61	61	61	50	50	50	45									
			Array Edge	70	70	57	57	57	51	51	65	65	52	52	52	48	48	60	60	60	49	4																																

Table with columns: Maximum Rail Spans (Inches), Exposure Category, Panel Angle, Wind Speed (90, 95, 100, 105, 110, 115 mph), and various span values (1', 2e, 2r, 2n, 3e, 3r).

Maximum Rail Spans (Inches)			SMR100 Rail Flush-Mount on 0 to 30 Foot Roof -- ASCE 7-16 -- 72-Cell (L)																																																	
Ground Snow Load	Exposure Category	Panel Angle	Wind Speed ->		90 mph						95 mph						100 mph						105 mph						110 mph						115 mph						120 mph											
			Roof Zone ->	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r	1'	2e	2r	2n	3e	3r							
30 psf	B	0 to 7	Array Interior	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	
			Array Edge	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	
		7 to 20	Array Interior	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	
			Array Edge	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100							
		45 to 90	Array Interior	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	120	
			Array Edge	120	120	119	119	119	119	120	120	115	115	115	115	116	116	111	111	111	111	116	116	111	111	111	111	113	113	107	107	107	107	110	110	103	103	103	103	107	107	100	100	100	100	104	104	97	97	97	97	
	C	0 to 7	Array Interior	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	
			Array Edge	91	91	90	90	90	90	91	91	87	87	87	87	91	91	83	83	83	83	91	91	81	81	81	81	91	91	81	81	81	81	91	91	77	77	77	77	91	91	77	77	77	77	91	91	77	77	77	77	
		7 to 20	Array Interior	94	94	94	94	94	94	94	94	91	91	91	91	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	
			Array Edge	94	94	94	92	92	92	94	94	89	89	89	89	94	94	94	85	85	85	94	94	94	83	83	83	92	92	92	92	92	92	94	94	92	92	92	92	94	94	94	89	89	89	94	94	94	89	89	89	
		D	20 to 27	Array Interior	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96
				Array Edge	96	96	96	96	96	96	96	96	96	94	94	94	96	96	96	94	94	94	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96	96						
27 to 45	Array Interior		100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100								
	Array Edge		100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100								
45 to 90	Array Interior		120	120	120	120	120	120	120	120	118	118	118	118	119	119	113	113	113	113	115	115	110	110	110	110	112	112	106	106	106	106	109	109	103	103	103	103	106	106	100	100	100	100								
	Array Edge		112	112	106	106	106	106	108	108	102	102	102	102	105	105	98	98	98	98	102	102	95	95	95	95	99	99	92	92	92	92	96	96	89	89	89	89	94	94	87	87	87	87								

